



- DECK ROOFING**
1. THE UPPER SUITE DECK IS TO BE FRAMED WITH A ROOF SLOPE OF NOT LESS THAN 1/2" PER FOOT. SHEATH LIKE ANY OTHER FLOOR DECK.
  2. BUILD AN OPEN SCUPPER SLOT ONE-HALF THE DECK WIDTH. USE TAPERED INSULATION OR CANT STRIPS TO ENSURE FREE FLOWING DRAINAGE.
  3. INSTALL HEAVY MEMBRANE ROOFING PER MFG'S RECOMMENDATIONS. TORCH APPLIED DIBITEN POLY 4, WITH GRANULAR FACE IS RECOMMENDED. OTHER SIMILAR NON-PROPRIETARY PRODUCTS ARE AVAILABLE. FLASH THIS MATERIAL NOT LESS THAN 14" UP THE SIDE WALLS. PROVIDE THE DOOR TO THE UPPER BATH WITH FULL PAN FLASHING. FLASH THIS WELL. THIS IS A NORTH FACING RECESS. SNOW WILL ACCUMULATE AND IT WILL NOT SEE A LOT OF SUN.
  4. COVER WITH THE SAME DECKING BOARDS AS OTHER DECKS. USE DECK MATERIAL AS "SLEEPERS." USE SAME SIDEWALL "KICK BD." DETAIL AS OTHER DECKS. DIVIDE THE DECK INTO 9 "PALLET LIKE" PANELS FOR REMOVAL IF REQUIRED.

REV #	REVISION DESCRIPTION	DATE
1	START UP PERMANENT REVIEW FOR PERMIT SUBMIT	01-11-2008
2	REVISED PER. THP. PERMIT REVIEW	08-28-2008
3		01-12-09

NOT VALID FOR PERMITS UNLESS AFFIXED WITH EMBOSSED SEAL & ORIGINAL SIGNATURE IN RED.

Eric C. Van Reed, Architect  
**Creative Design Associates, Inc.**  
 ARCHITECTURE INTERIORS SITE & SPACE PLANNING  
 350 Callowhill Road  
 Chalfont, PA 19314  
 Voice: 215-672-1155  
 www.ArchitectVision.com

**639 Walnut Avenue, East**  
**ADDITIONS & RENOVATIONS**  
 BENSLEM TWP., BUCKS CO., PA

SECTION @ EXISTING  
 Sheet No. 19 of 14  
 Comm. No. 08-2890

CONSTRUCTION SECTION @ EXISTING

SCALE 1/2" = 1'-0"